

Shaft Supports Flanged Mount,with Slit

Shaft Supports Flanged Mount

◀ Compact

◀ Standard • Tapped Mounting Holes



Shaft Supports Flanged Mount ,with Slit

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
GBS01	Compact	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
GBS02				Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)

Features: O.D.(H Dimension)is smaller than the previous type. Space saving design.



self made



The first perspective

Part Number		L	H	B	T	P	d ₁	d ₂	S	X	Y	M	d	R
Code	DH7													
GBS01 GBS02	10	+0.015 0	34			22				10				
	12		17	36	11	4.5	25	5.5	9.3	1.5	12	5.8	5	5.5
	15	+0.018 0		38			26				13			
	16			39			28				13.5	6.8		
	20		22	49	14	6	35				16			
	25	+0.021 0		54			40	6.6	10.8	2	19	7.8	6	6.6
	30			59		8	45				22			



Please order as shown

Part Number		L
Code	DH7	
GBS01	10	17
GBS02	12	

PGS02—D10




Discount price	
Per	1~9
Price	100%



Delivery	
Per	1~9
Price	10

Shaft Supports Flanged Mount





Code	Type	Material		Surface Treatment
		GB	Equiv.	
GAF01	Standard Tapped Mounting Holes	45	S45C	Black Oxide
GAF02				Electroless Nickel Plating
GAF11				Black Oxide
GAF12				Electroless Nickel Plating



Inventory self made

Round Flanged
GAF01
GAF02

Square Flanged
GAF11
GAF12



The first perspective

Part Number		L	D ₁	H	T	V	P.C.D	K	M
Code	DH7								
Round Flanged GAF01 GAF02	10	+0.015 0	20	13.8	30	5	13	22	23
	12		24	15.8	36		16	26	28
	15	+0.018 0	30	19.8	40	6	19	30	32
	16		32	21.8	42		20	32	33
Square Flanged GAF11 GAF12	20			27.8	50		21	39	39
	25	+0.021 0	38	32.8	55	8	24	44	44
	30			37.8	66	10	25	52	52
									M6



Please order as shown

Part Number		L
Code	DH7	
GAF01	10	20
GAF02	12	24

PGS02—D10




Discount price	
Per	1~9
Price	100%



Delivery	
Per	1~9
Price	10

Standard-Through Mounting Holes







Code	Type		Material		Surface Treatment
			GB	Equiv.	
GAC01	Standard	Through Mounting Holes	45	S45C	Black Oxide
GAC02					Electroless Nickel Plating
GAC08			LD30	A6061	Clear Anodize
GAC09					Black Anodize
GAC11		Square Flanged	45	S45C	Black Oxide
GAC12			0Cr18Ni9	SUS304	Electroless Nickel Plating
GAC16		Compact Flanged	45	S45C	—
GAC21			0Cr18Ni9	SUS304	Black Oxide
GAC22			45	S45C	Electroless Nickel Plating
GAC26			0Cr18Ni9	SUS304	—
GAC28			LD30	A6061	Clear Anodize



Round Flanged
GAC01/02/08/09

Square Flanged
GAC11/12/16

Compact Flanged
GAC21/22/26/28



The first perspective

Part Number		L	D1	H	T	V	P.C.D	K	W	P	F	d1	M
Code	DH7												
Round Flanged	10	20	13.8	30	5	13	22	23	18	22	—	3.5	M3
GAC01	12	24	15.8	36	—	16	26	28	20	26	—	—	—
GAC02	13	24	17.8	38	6	16	28	30	22	28	—	4.5	M4
GAC08	15	30	19.8	40	—	19	30	32	24	30	—	—	—
GAC09	16	30	21.8	42	—	20	32	33	26	28	16	—	—
Square Flanged	18	32	27.8	50	8	21	39	39	32	31	22	5.5	M5
GAC11	20	32	27.8	50	8	21	39	39	32	31	22	5.5	M5
GAC12	20	32	27.8	50	8	21	39	39	32	31	22	5.5	M5
GAC16	25	38	32.8	55	—	24	44	44	37	36	24	6.6	—
Compact Flanged	30	38	37.8	66	—	25	52	52	42	41	27	6.6	—
GAC21	35	50	44.8	80	10	32	65	65	55	56	33	9.0	M6
GAC22	40	50	59.8	90	—	32	75	75	65	65	38	9.0	M6
GAC26	40	50	59.8	90	—	32	75	75	65	65	38	9.0	M6
GAC28	50	50	69.8	100	—	32	85	90	75	74	43	9.0	M6



Part Number	
Code	DH7
GAC01	10
GAC02	13
GAC02—D12	




Discount price	
Per	1~9
Price	100%



Long Sleeve-Through Mounting Holes

Code	Type		Material		Surface Treatment
			GB	Equiv.	
GAJ02	Long Sleeve	Through Mounting Holes	45	S45C	Electroless Nickel Plating
GAJ12		Round Flanged			Electroless Nickel Plating
GAJ21		Square Flanged			Black Oxide
GAJ22		Compact Flanged			Electroless Nickel Plating










D12

D16~30

Round Flanged
GAJ02

Square Flanged
GAJ12

Compact Flanged
GAJ21/22



The first perspective

Part Number		L	D1	H	T	V	P.C.D	K	W	P	F	d1	M
Code	DH7												
Round Flanged	12	30	15.8	36	6	16	26	28	20	26	—	4.5	M4
GAJ02	16	48	21.8	42	—	17	32	33	26	28	16	—	—
Square Flanged	20	48	27.8	50	8	17	39	39	32	31	22	5.5	M5
GAJ12	25	57	32.8	55	—	20	44	44	37	36	24	6.6	—
GAJ21	30	57	37.8	66	10	20	52	52	42	41	27	6.6	M6
GAJ22	30	57	37.8	66	10	20	52	52	42	41	27	6.6	M6



Part Number	
Code	DH7
GAJ21	12
GAJ22	16
GAC22—D12	



Discount price	
Per	1~9
Price	100%




Through Mounting Holes ▶

Back Mounted

Shaft Supports Flanged Mount

Code	Type			Material		Surface Treatment
				GB	Equiv.	
GAR01	Back Mounted	Through Mounting Holes	Round Flanged			Black Oxide
GAR02			Square Flanged	45	S45C	Electroless Nickel Plating
GAR12						Electroless Nickel Plating
GAR21			Compact Flanged			Black Oxide
GAR22						Electroless Nickel Plating






Inventory self made


Round Flanged
GAR01
GAR02

Square Flanged
GAR12


Compact Flanged
GAR21
GAR22



D12~15



D16~40



The first perspective

Part Number			L	D1	H	T	V	E	P.C.D	K	W	P	F	d	d1	d2	Mounting Screw
Code		DH7															
Round Flanged GAR01 GAR02	Square Flanged GAR12	Compact Flanged GAR21 GAR22	12	24	15.8	36	6.5	15	26	29	20	28	—	4.5	11	6.6	M6
			15	30	19.8	40	9	15	30	33	24	30	—	4.5	14	9	M8
			16	32	21.8	42	—	16	32	34	26	28	16	—	—	—	—
			20	38	27.8	50	8	18	39	40	32	31	22	5.5	18	11	M10
			25	46	32.8	55	—	23	44	45	37	36	24	—	20	13	M12
			30	58	37.8	66	10	28	52	54	42	41	27	6.6	26	17	M16
			40	70	53.8	88	—	38	72	74	62	62	38	9	—	—	—



Please order as shown

Part Number		
Code		DH7
GAR01	12	—
GAR02	15	+0.018 0
GAR02—D12		



Discount price		
Per	1~9	10~
Price	100%	Additional quotation



Delivery	
10	

Shaft Supports

A2

Shaft Supports Flanged Mount with Slit

- Standard, Through Mounting Holes
- Long Sleeve, Through Mounting Holes

Standard





Code	Type			Material		Surface Treatment
				GB	Equiv.	
GBJ01	Standard	Through Mounting Holes	Round Flanged	45	S45C	Black Oxide
GBJ02			Square Flanged	0Cr18Ni9	SUS304	Electroless Nickel Plating
GBJ06			Compact Flanged	45	S45C	Black Oxide
GBJ11	Standard	Through Mounting Holes	Round Flanged	45	S45C	Black Oxide
GBJ12			Square Flanged	0Cr18Ni9	SUS304	Electroless Nickel Plating
GBJ16			Compact Flanged	45	S45C	Black Oxide
GBJ21	Standard	Through Mounting Holes	Round Flanged	45	S45C	Black Oxide
GBJ22			Square Flanged	0Cr18Ni9	SUS304	Electroless Nickel Plating
GBJ26			Compact Flanged	45	S45C	Black Oxide



Round Flanged
GBJ01/02/06

Square Flanged
GBJ11/12/16

Compact Flanged
GBJ21/22/26




The first perspective

Part Number		D _{H7}	L	D ₁	H	T	B	P.C.D	K	W	P	F	d	S	S ₁	X	Y	d ₁	d ₂	M	Accessories Screws
Code																					
Round Flanged	8	+0.015 0	18	24.8	39	4.8	10	32	30	27	25	20	3.5			7.5	3.5	7.5	4.6	M4	M4×10
GBJ01	8M																				
GBJ02	10		20	29.8	49			40	38	32	33	23	4.5			10	3				M5×10
GBJ06	12	+0.018 0	22	31.8	52		12	42	40	34	35	25		1.5		11	4				M5×12
Square Flanged	13		24			5.8															
GBJ11	15		27					46	44	37	37	27	5.5			12	5	9	5.6	M5	
GBJ12	16	+0.021 0	30	34.8	56		15	52	50	42	43	30		1.5		14					M5×16
GBJ16	20		32	39.8	64	7.8		57	54	47	46	34	6.6			17	6				
Compact Flanged	25		38	44.8	69			67	60	57	50	45				20	10	12	6.6	M6	M6×20
GBJ21	30	+0.025 0	40	54.8	79	9.8	18	77	71	66	58	50		2		23	12				M8×25
GBJ22	35		48	59.8	94			87	81	76	67	55	9			26	13	14	9	M8	
GBJ26	40		55	69.8	104	11.8		102	94	91	82	60				32	16	18	11	M10	M10×35
	50		65	84.8	119																

Long Sleeve





Code	Type			Material		Surface Treatment
				GB	Equiv.	
GBL01	Long Sleeve	Through Mounting Holes	Round Flanged	45	S45C	Black Oxide
GBL02			Square Flanged	0Cr18Ni9	SUS304	Electroless Nickel Plating
GBL06			Compact Flanged	45	S45C	Black Oxide
GBL11	Long Sleeve	Through Mounting Holes	Round Flanged	45	S45C	Black Oxide
GBL12			Square Flanged	0Cr18Ni9	SUS304	Electroless Nickel Plating
GBL16			Compact Flanged	45	S45C	Black Oxide
GBL21	Long Sleeve	Through Mounting Holes	Round Flanged	45	S45C	Black Oxide
GBL22			Square Flanged	0Cr18Ni9	SUS304	Electroless Nickel Plating
GBL26			Compact Flanged	45	S45C	Black Oxide



Round Flanged
GBL01/02/06

Square Flanged
GBL11/12/16

Compact Flanged
GBL21/22/26



The first perspective

Part Number		D _{H7}	L	D ₁	H	T	B	P.C.D	K	W	P	F	d	S	S ₁	X	Y	d ₁	d ₂	M	Accessories Screws
Code																					
Round Flanged	12	+0.018 0	33	31.8	52	5.8	20	42	40	34	35	25	4.5		1.5	11	4				M5×12
Square Flanged	16		45	34.8	56		24	46	44	37	37	27	5.5			12	5				
Compact Flanged	20		48	39.8	64	7.8	30	52	50	42	43	30				14					M5×16
GBL01	GBL11	+0.021 0	57	44.8	69		30	57	54	47	46	34	6.6	1.5	2	17	6				
GBL02	GBL12		60	54.8	79	9.8	30	67	60	57	50	45				20	10	12	6.6	M6	M6×20
GBL06	GBL16		72	59.8	94		36	77	71	66	58	50				23	12				M8×25
		+0.025 0	82.5	69.8	104	11.8	44	87	81	76	67	55	9.6			26	13	14	9	M8	M8×25
			97.5	84.8	119			102	94	91	82	60				32	16	18	11	M10	M10×35

Long Sleeve

Part Number		
Code	DH7	
GBL01	12	+0.018 0
GBL02	16	

Please order
as shown

GBL02—D12





Discount price	
Per	Price
1~9	100%
10~	Additional quotation



Delivery	
Per	Price
10	

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
GCJ01	Standard Type	45	S45C	Black Oxide	Hex Socket Set Screw 1 pc.
GCJ02		Height H Selectable	0Cr18Ni9	Electroless Nickel Plating	Hex Socket Set Screw 1 pc. (Stainless Steel)
GCJ06		LD31	SUS304	—	
GCJ08		A6063	Clear Anodize	—	Hex Socket Set Screw 1 pc.
GCJ11	Height H Configurable	45	S45C	Black Oxide	Hex Socket Set Screw 1 pc.
GCJ12		—	—	Electroless Nickel Plating	Hex Socket Set Screw 1 pc. (Stainless Steel)



Height H Selectable

Part Number		H	L	H ₁	T	S	W	M	L ₁	d
Code	D _{H7}									
GCJ01 GCJ02 GCJ06 GCJ08	10	+0.015 0	42	H+10	10	5.8	17.8	M4	30	4.5
	12	+0.018 0		H+11						
	15	+0.018 0	54	H+15	16	7.8	29.8	M6	42	6.6
	16	+0.021 0		H+18						
	20	+0.021 0	67	H+23	20	9.8	44.8		50	9

Height H Configurable

Part Number		H	L	H ₁	T	S	W	M	L ₁	d
Code	D _{H7}									
GCJ11 GCJ12	10	+0.015 0	42	H+10	10	5.8	17.8	M4	30	4.5
	12	+0.018 0		H+11						
	15	+0.018 0	54	H+15	16	7.8	29.8	M6	42	6.6
	16	+0.021 0		H+18						
	20	+0.021 0	67	H+23	20	9.8	44.8		50	9

Height H Selectable

Part Number	Code	D _{H7}	H
GCJ01	10	+0.015 0	10
GCJ02	12	+0.018 0	12
GCJ01—D12—H15			15

Height H Configurable

Part Number	Code	D _{H7}	H
GCJ11	10	+0.015 0	10
GCJ12	12	+0.018 0	12
GCJ12—D10—H30			30





Per	1~9	10~
Price	100%	Additional quotation



Assembly Drawing



Decomposition Drawing



Shaft Supports T-Shaped

◀ Slit Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
GCL01	Slit Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
GCL02				Electroless Nickel Plating	Hex Socket Head Cap Screw 1pc. (Stainless Steel)



Part Number		H		L	H1	T	S	W	L1	d	E	M	d2	d1	h	N
Code	DH7															
GCL01 GCL02	12	15 20		42	H+18			17.8	30		13	M4 Through				
	13					10	5.8									
	15	25		54	H+20			29.8	42	4.5	15	M4 Depth 8	4.5	8	4.5	
	16	25 30														2
	20	20 25 30														
	25	20 25 30 40 50 60		67	H+26	16	7.8	34.8	50	6.6	18	M6 Through	6.6	11	6.5	
	30	25 30			H+28						21					
	35	30 40		85	H+33	20	9.8	44.8	65	9	24	M8 Depth 16	9	14	9	3
					H+36						27					



Part Number		H
Code	DH7	
GCL01	13	25
GCL02	15	25
GCL01—D15—H25		



Discount price			
Per	1~9	10~	
Price	100%	Additional quotation	




Delivery	
10	

Precision Cast Shaft Support


- ◀ Flanged
- ◀ T-Shaped

Flanged

Code	Type	Material	Surface Treatment	Accessories
GFC01	Flanged	Aluminum Alloy	Clear Anodize	Hex Socket Head Cap Screw 1pc.



Inventory





The first perspective

Part Number		L	A	B	L ₁	T	T ₁	d	Accessories
Code	D								Screws
GFC01	10	43	24	20	32	10	5		
	12	47	28	25	36	13	7	5.5	M4
	13								
	16	50	31	28	40	16	8		
	20	60	37	34	48	20		7	M5
	25	70	42	40	56	25	10		
	30	80	50	46	64	30	12	9	M6
	35	92	58	50	72	35	14	12	M8
	40	102	67	56	80	40	16		M10
	50	122	83	70	96	50	19	14	M12
	60	140	95	82	112	60	23		

T-Shaped

Code	Type	Material	Surface Treatment	Accessories
GFF01	T-Shaped	Aluminum Alloy	Clear Anodize	Hex Socket Head Cap Screw 1pc.



Inventory



The first perspective

Part Number		H	H ₁	S	L	L ₁	L ₂	T	E	d	Accessories
Code	D										Screws
GFF01	8										
	10	20	32.8				18				
	12			6	42	32		14	21	5.5	M4
	13	23	37.5				20				
	16	27	44	8	48	38	25	16	24		
	20	31	51	10	60	45	30	20	30	6.6	M5
	25	35	60		70	56	38	24	35		
	30	42	70	12	84	64	44	28	42	9	M6
	35	50	82		98	74	50	32	49		
	40	60	96	15	114	90	60	36	57	11	M8



T-Shaped

Part Number	D	H
Code	D	H
GFF01	10	20

GFF01—D8



Discount price
Per 1~9 10~
Price 100% Additional quotation

