



Shaft Collars

- Standard / Wide Type
- Compact Type
- Set Screw Type

Standard Type / Wide Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAB01	Set Screw Type	45	S45C	Black Oxide	Set Screw 2 pcs.
FAB02				Electroless Nickel Plating	
FAB06		0Cr18Ni9	SUS304	—	Set Screw 2 pcs. (Stainless Steel)
FAB21		LY11	A2017	Clear Anodize	
FAB22				Black Anodize	Set Screw 2 pcs.
FAB23	Wide Type	45	S45C	Black Oxide	Set Screw 2 pcs.
FAB51				Electroless Nickel Plating	Set Screw 2 pcs. (Stainless Steel)
FAB52		0Cr18Ni9	SUS304	—	



The first perspective

Standard Type

Part Number		B	H	d	C	Set Screw M×Length
Code	D					
(S45C)	6	6 8 10	12	11		
FAB01	8	6 8 10	14	12	0.3	M4×3
FAB02	10	6 8 10	16	13		
	12	6 8 10 12	20	15		M5×4
(SUS304)	13	8 10 12	22	18		(Only B6)
FAB06	15	8 10 12	24	20		M4×3
	16	8 10 12 15	26	22	0.6	M6×5
(A2017)	18	10 12 15	32	27		(Only B8)
FAB21	20	10 12 15				M5×4
FAB22	25	12 15 18	38	31		
FAB23	30	15 18 20	46	38	0.8	M8×6




Wide Type

Part Number		B	H	d	C	Set Screw M×Length
Code	D					
	6	6 8	15	15		
		10	16	16		
	8	8	16	13		M4×4
		10	18	16		
(S45C)	10	8	20	16		
FAB51	12	8	22	20		
FAB52		10 12	26	0.6		M5×5
	13	8	22	20		M4×4
(SUS304)		10	26	24		M5×5
FAB56	15	8 10	28			
		12	32	29		M6×6
	20	10 12 15	42	38		
	25	12 15 18	45			
	30	16	49	0.8		M8×8

30° chamfering is not available for Wide Type D6.

Compact Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAC01	Set Screw Type	45	S45C	Black Oxide	Set Screw 2 pcs.
FAC02				Electroless Nickel Plating	Set Screw 2 pcs.
FAC06		0Cr18Ni9	SUS304	—	(Stainless Steel)



The first perspective

Part Number		B	H	d	C	Set Screw M×Length
Code	D					
FAC01 FAC02 FAC06	6		12			
	8	5	14		0.3	
	10		16			M3×3
	12		19			
	15		22			
	20	6	27		0.6	
	25	8	32	22.5		M4×3
	30	10	39	27.5		M5×4
		12	41	32.5	0.8	M6×5



Please order as shown

Compact Type

Part Number		B
Code	D	
FAC01	6	5
FAC02	8	

FAC02 — D6 — B5



Discount price
Per 1~10 11~
Price 100% Additional quotation



Delivery
10


2-Hole/4-Hole Type ▶ 2-Tapped(Coarse)/4-Tapped(Coarse) Type ▶ Set Screw Type

Shaft Collars



2-Hole / 4-Hole

Code		Material		Surface Treatment	Accessories
2-Hole	4-Hole	GB	Equiv.		
FAC41	FAC71	45	S45C	Black Oxide	Set Screw 2 pcs.
FAC42	FAC72			Electroless Nickel Plating	Set Screw 2 pcs.
FAC46	FAC76	0Cr18Ni9	SUS304	—	(Stainless Steel)

2-Hole
FAC41/42/46



4-Hole
FAC71/72/76



6.3



Inventory self made



The first perspective

Part Number		B	H	S	P.C.D	C	Set Screw M×Length
Code	D						
2-Hole FAC41 FAC42 FAC46	6	10	22	4.5	15	0.6	M4×4
	8		24		16		
	10		26		18		
	12		32	5.5	22		M5×5
	13		33		23		
	15		35		25		
4-Hole FAC71 FAC72 FAC76	16	12	40	6.6	28	1	M6×6
	18		44		32		
	20		49		37		
	25		54		42		M8×8
	30						



Please order as shown

Part Number	B
Code	D
FAC41	12
FAC42	13
FAC46	15

FAC42 — D12



Discount price
Per 1~10 11~
Price 100% Additional quotation




Delivery
10



2-Tapped/4-Tapped

Code		Material		Surface Treatment	Accessories
2-Tapped	4-Tapped	GB	Equiv.		
FAC51	FAC81	45	S45C	Black Oxide	Set Screw 2 pcs.
FAC52	FAC82			Electroless Nickel Plating	Set Screw 2 pcs.
FAC56	FAC86	0Cr18Ni9	SUS304	—	(Stainless Steel)

2-Tapped
FAC51/52/56




4-Tapped
FAC81/82/86



6.3



Inventory self made



The first perspective

Part Number		B	H	M1	P.C.D	C	Set Screw M×Length
Code	D						
2-Tapped FAC51 FAC52 FAC56	6	10	22	M3	15	0.6	M4×4
	8		24	M4	16		
	10		26		18		
	12		32	M5	22		M5×5
	13		33		23		
	15		35		25		
4-Tapped FAC81 FAC82 FAC86	16	12	40	M6	28	1	M6×6
	18		44		32		
	20		49		37		
	25		54		42		M8×8
	30						



Please order as shown

Part Number	B
Code	D
FAC51	12
FAC52	13
FAC56	15

FAC52 — D12



Discount price
Per 1~10 11~
Price 100% Additional quotation





Delivery
10

Shaft Collars

Standard Type/Compact Type Slit Type

Standard Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAE01	Standard Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAE02				Electroless Nickel Plating	
FAE06		0Cr18Ni9	SUS304	—	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FAE21				Clear Anodize	
FAE22		LY11	A2017	Black Anodize	Hex Socket Head Cap Screw 1 pc.



Part Number		B	H	M	d	R	W	X	Y	Z	C	
Code	D											
(S45C) FAE01 FAE02	6	8	20	M3	3.4	3	1	6	4	6~7		
		10	M4	4.5	3.75							
	8	8	25	M3	3.4	3		8		7~9		
		10	M4	4.5	3.75							
		12	M5	5.5	4.5							
		15	M6	6.6	6							
	10	8	30	M3	3.4	3		9	5	7~10		
		10	M4	4.5	3.75							
		12	M5	5.5	4.5							
		15	M6	6.6	6							
	12	8	35	M3	3.4	3		10	6	8~12		
		10	M4	4.5	3.75							
		12	M5	5.5	4.5							
		15	M6	6.6	6							
	(SUS304) FAE06	13	8	30	M4	4.5	3.75	1.5	11	5	9~10	0.6
			10	M5	5.5	4.5						
			15	M6	6.6	6						
			20	M4	4.5	3.75						
15		10	34	M5	5.5	4.5	11.5	6	10~11			
		12	M5	5.5	4.5							
(A2017) FAE21 FAE22 FAE23	16	15	40	M6	6.6	6		12	6	11~12		
		10	M5	5.5	4.5							
		12	M6	6.6	6							
		15	M5	5.5	4.5							
	18	10	40	M5	5.5	4.5		13	8	11~13		
		12	M6	6.6	6							
		15	M5	5.5	4.5							
		20	M6	6.6	6							
	20	12	45	M5	5.5	4.5		16	8	13~15		
		15	M5	5.5	4.5							
		12	M5	5.5	4.5							
		17	M5	5.5	4.5							
25	15	50					18	10	16~18			
	20	M6	6.6	6								
	15	M6	6.6	6								
	20	M6	6.6	6								
30	20	55					20	10	18~20			
	15	M8	9	7								
		60										

Part Number		B	H	M	d	R	W	X	Y	Z	C
Code	D										
(A2017) FAE21 FAE22 FAE23	3	8	16					4.5	2.2	3	
	4	8	18					5	3	3.5	
	5	8		M3	3.4	3	1	5.5		5	
	6	8	20					6	4	6	
	8	8	25					7		7	
	10	10						9	5	8	
	12	10	30	M4	4.5	3.75		10		9	0.6
	13	10								10	
	15	10	34					11.5			
	16	10	35				1.5	12	6	11	
		12									
	20	12	40	M5	5.5	4.5		14		13	
		15							7		
	25	12	45					17		16	
		15									
	30	15	55	M6	6.6	6		20	10	18	
	35	15	60				2	23	12	21	1
	40	18	70	M8	9	7		26	13	23	
	50	22	85	M10	11	9	3	32	16	28	



Part Number	D	B
Code	D	B
FAE21	10	10
FAE22	12	10
FAE23	12	10





Discount price	Per	1~10	11~
Price	100%	Additional quotation	



Delivery	10
----------	----

Compact Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAF01	Compact Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAF02				Electroless Nickel Plating	
FAF06		0Cr18Ni9	SUS304	—	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)



Part Number	Code	D	B	H	M	d	R	W	X	Y	Z	C
FAF01 FAF02 FAF06	6	8	10	18				1	6		6.5	
		10	8	22							7	
		12	10	25	M2.5	2.9	2.45				8	9
	8	12	15								9	3
		15	10	28							11	
		12	10									
	10	12	15	30	M3	3.4	3	1.5			11	0.6
		15	10	35							11.5	
		12	10								13	
	12	15	10	42	M4	4.5	3.75				16.5	5
		12	10								20	6
		10	8	50	M5	5.5	4.5				20	6



Part Number	D	B
Code	D	B
FAF01	10	6
FAF02	10	6
FAF06	10	6



Discount price	Per	1~10	11~
Price	100%	Additional quotation	



Delivery	10
----------	----


Shaft Collars

2 Counterbored Holes / 3 Counterbored Holes


Code	Type		Material		Surface Treatment	Accessories
			GB	Equiv.		
FAF41	Slit Type	2 Counterbored Holes	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAF42			0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc.
FAF46				—	(Stainless Steel)	
FAF71		3 Counterbored Holes	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAF72			0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc.
FAF76					—	(Stainless Steel)



2 Counterbored Holes



3 Counterbored Holes



The first perspective

Part Number		B	H	M	d	R	W	X	Y	Z	P	d ₂	d ₁	t	C	
	Code	D														
2 Counterbored Holes FAF41 FAF42 FAF46	6	8	24	M3	3.4	3	1	8	4	6~8	15	3.5	6.5	3.3		
		10	M4	4.5	3.75											
	8	8	25	M3	3.4	3		9	5	7~8	17		4.5	8	4.4	
		10	M4	4.5	3.75											
	10	12	33	M5	5.5	4.5		10	11	10~11	22	5.5	9.5	5.4		
		15	M6	6.6	6											
	12	10	35	M4	4.5	3.75		11	5	10~12	24	5.5	9.5	5.4		
		12	M5	5.5	4.5											
	13	15	38	M6	6.6	6		13	6	11~13	25	6.6	11	6.5		
		10	33	M4	4.5	3.75										
3 Counterbored Holes FAF71 FAF72 FAF76	13	12	36	M5	5.5	4.5		11	5	10~11	23	4.5	8	4.4	0.6	
		15	M6	6.6	6											
	15	12	38	M5	5.5	4.5	1.5	12	6	11~13	25	5.5	9.5	5.4		
		15	40	M6	6.6	6										
	16	10	36	M5	5.5	4.5		12	6	11~12	26	4.5	8	6.4		
		12	38	M5	5.5	4.5										
	20	15	42	M6	6.6	6		8	13~14	29	6.6	11	6.5			
		12	M5	5.5	4.5											
	25	15	45	M6	6.6	6		16	8	14~15	33	6.6	11	6.5		
		12	48	M5	5.5	4.5										
30	15	50	M6	6.6	6		18	10	15~17	38	6.6	11	6.5	1		
	15	55	M6	6.6	6											



Please order
as shown

Part Number		B
Code	D	
FAF41	6	8
FAF42		10

FAF42—D6—B8

- Discount price

Per	1 ~ 10	11 ~
Price	100%	Additional quotation



Delivery

10


Shaft Collars

 1 Hole

Code	Type		Material		Surface Treatment	Accessories
			GB	Equiv.		
FAJ21	Slit Type	1 Hole	0Cr18Ni9	SUS304	—	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)

Features

- Strong clamping force.
- Can install sensors and micro switches on the shaft collar.



6.3/



Inventory self made



The first perspective

Part Number		B	H	M	d	R	W	X	Y	Z	S	P	C
Code	D												
FAJ21	10	12	40	M4	4.5	3.75	1.5	10	9.5	14	6.5	14.5	0.6
	12												
	14												
	15												
	16	13	45	M6	6.6	6	12.5	10	16	9	16.5		
	18												
	20		50				17	8	19		18.5		
	22	18	65					22	9.5	21		23.5	
	24												
	25												
	30												
	32	20	80	M5	5.5	4.5	2	26	12	24	13	27	
35													



Please order

Part Number		B
Code	D	
FAJ21	10	12
	12	
	14	13

FAJ21 — D14

● Discount price

Per	1~10	11~
Price	100%	Additional quotation



Delivery

10


Shaft Collars

◀ 2-Hole / 2-Tapped (Coarse) Slit Type


Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAJ01	2-Hole	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAJ02		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FAJ06	2-Tapped	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAJ51		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FAJ52		45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FAJ56		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)



2-Hole
FAJ01/02/06



2-Tapped
FAJ51/52/56



Shaft Collars
A3

Part Number		B	H	M	d	R	W	X	Y	Z	S	P	M ₁	C
Code	D													
2-Hole FAJ01 FAJ02 FAJ06	6	8	20	M3	3.4	3	1	6	4	6~6.5	3.5	12	M3	
		10		M4	4.5	3.75						13		
		8		M3	3.4	3		8		7~9	4.5	14		
	8	10	25	M4	4.5	3.75						18	M4	
		12		M5	5.5	4.5				7~10			M5	
		15		M6	6.6	6		9	5					
	10	8	30	M3	3.4	3					5.5	20	M5	
		10		M4	4.5	3.75				8~10				
		12		M5	5.5	4.5								
	12	15	35	M6	6.6	6		10	6	8~12	6.6	24		
		8		M3	3.4	3								
		10	30	M4	4.5	3.75			5	9~10	5.5	22	M5	
2-Tapped FAJ51 FAJ52 FAJ56	13	12	34	M5	5.5	4.5								
		15	35	M6	6.6	6		11	6	9~12	6.6	24	M6	
		10	30	M4	4.5	3.75		10		10	4.5	22	M4	
	15	12	34	M5	5.5	4.5		11	5	10~12	5.5	23	M5	
		15	35	M6	6.6	6						24		
		10	34	M4	4.5	3.75		11.5	6	10~11	4.5	23	M4	
	16	12	35	M5	5.5	4.5	1.5	12		11~13	5.5	26	M5	
		15	40	M6	6.6	6		13	8		6.6	28	M6	
		10	35	M5	5.5	4.5		12	6	11~12	4.5	24	M4	
	18-20	12		M6	6.6	6		13	8	11~13	6.6	28	M6	
		15		M5	5.5	4.5		14	7	13	4.5	30	M5	
		20						15			5.5		M6	
	25	12	45	M6	6.6	6		16	8	13~15	6.6	34		
		15												
		20		M5	5.5	4.5		17	7	16	5.5	36	M5	
	30	12						18		16~18		38	M6	
		15	50											
		20		M6	6.6	6		20	10	16~20	6.6	40		
	30	15	60	M8	9	7				18~20		44	M6	
		20						23						
		25								18~21	9	45		1



Part Number		B
Code	D	
FAJ01	6	8
FAJ02	10	10
FAJ02	8	8

FAJ02 — D8 — B8



Discount price	
Per	1~10 11~
Price	100% Additional quotation




Delivery	
	10

Shaft Collars

Standard Type Split Type



Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAP01 FAP02	Split Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 2 pcs.
FAP06 FAP21				Electroless Nickel Plating	Hex Socket Head Cap Screw 2 pcs. (Stainless Steel)
FAP22		LY11	A2017	Clear Anodize	Hex Socket Head Cap Screw 2 pcs.
FAP23				Black Anodize	



Part Number		B	H	M	d	R	W	X	Y	C
Code	D									
(S45C) FAP01 FAP02	6	8	20	M3	3.4	3	1	6	4	
		10		M4	4.5	3.75				
	8	8	25	M3	3.4	3		8		
		10		M4	4.5	3.75				
		12		M5	5.5	4.5				
	10	15		M6	6.6	6		9	5	
		8	30	M3	3.4	3				
		10		M4	4.5	3.75				
	12	12		M5	5.5	4.5				
		15	35	M6	6.6	6			6	
		8	30	M3	3.4	3		10	5	
	13	10		M4	4.5	3.75				
		12	34	M5	5.5	4.5		10	5	
		15	35	M6	6.6	6		11		0.6
	15	10	34	M4	4.5	3.75	1.5	11.5	6	
		12	35	M5	5.5	4.5		12		
		15	40	M6	6.6	6		13	8	
	16	10	35	M5	5.5	4.5		12	6	
		12						13	8	
		15		M6	6.6	6				
	18	10	40	M5	5.5	4.5		14	7	
		12						15	8	
		15	45	M6	6.6	6		15	8	
	20	10	40	M5	5.5	4.5		14	7	
		12						15	8	
		15	45	M6	6.6	6		17	7	
	25	12		M5	5.5	4.5		18		
		15	50					20	10	
		20	55	M6	6.6	6				
	30	15	60	M8	9	7		23		1

Part Number		B	H	M	d	R	W	X	Y	C
Code	D									
(A2017) FAP21 FAP22 FAP23	6	8	20	M3	3.4	3	1	6	4	
	8		25					8		
	10							9		
	12		30	M4	4.5	3.75		10	5	
	13									0.5
	15	10	34				1.5	11.5	6	
	16		35					12		
	20		40	M5	5.5	4.5		14		
	25	12	45					17	7	
	30	15	55	M6	6.6	6		20	10	1



Part Number		B
Code	D	
FAP21	10	
FAP22	12	
FAP23	13	

FAP22 — D10 — B10



Discount price	
Per	Price
1~10	11~
100%	Additional quotation





Delivery	
Per	Price
10	

Split Type

Shaft Collars

Inventory self made



1-Hole

Shaft Collars

 2-Hole/2-Tapped



Please order as shown

	Discount price	
	Per	1 ~ 10 11 ~
	Price	100% Additional quotation




Shaft Collars


Compact Type/Balanced Type Split Type

Compact Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAQ01	Split Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 2 pcs.
FAQ02				Electroless Nickel Plating	Hex Socket Head Cap Screw 2 pcs.
FAQ06		0Cr18Ni9	SUS304	—	(Stainless Steel)



6.3/



The first perspective

Part Number		B	H	M	d	R	W	X	Y	C
Code	D									
FAQ01 FAQ02 FAQ06	6	6	18	M2.5	2.9	2.45	1	6	3	1.5
	8		22					7		
	10		25					8		
	12		28					9		
	13	8	30	M3	3.4	3	1.5	11	5	
	15		35					11.5		
	16		42					13		
	20		50					16.5		
	25	10	55	M4	4.5	3.75		20	6	1
	30		60					23		



Part Number	D	B
FAQ01	6	6
FAQ02	8	6

FAQ02 — D6 — B6




Discount price	Per	1~10	11~
Price	100%	Additional quotation	




Delivery	10
----------	----

Balanced Type

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FAQ51	Split Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 2 pcs.
FAQ52				Electroless Nickel Plating	Hex Socket Head Cap Screw 2 pcs.
FAQ56		0Cr18Ni9	SUS304	—	(Stainless Steel)



6.3/



The first perspective

Part Number		B	H	M	d	R	W	X	Y	C
Code	D									
FAQ51 FAQ52 FAQ56	16	10	35	M5	5.5	4.5	1.5	12	6	0.5
	17	10						14		
	20	12						15		
	25	15						17		
	30	15	40	M6	6.6	6		18	10	1
	35	15	45					20		
	40	15	50					23		
	45	15	55					25		
	50	15	60	M8	9	7		28	12	
	55	15	65					30		



Part Number	D	B
FAQ51	16	10
FAQ52	17	12

FAQ52 — D16 — B12



Discount price	Per	1~10	11~
Price	100%	Additional quotation	



Delivery	10
----------	----

Shaft Collars-For Bearing Fixing

Standard • Short/Long Shoulder
Set Screw Type





Code		Material		Surface Treatment	Accessories
Short Shoulder	Long Shoulder	GB	Equiv.		
FBC01	FBC51	45	S45C	Black Oxide	Set Screw 2 pcs.
FBC02	—	—	—	Electroless Nickel Plating	Set Screw 2 pcs.
FBC06	FBC56	0Cr18Ni9	SUS304	—	(Stainless steel)
FBC21	FBC71	LY11	A2017	Clear Anodize	Set Screw 2 pcs.
FBC22	FBC72	—	—	Black Anodize	Set Screw 2 pcs.



Inventory self made

Short Shoulder
FBC01/02/06/21/22

Long Shoulder
FBC51/56/71/72



The first perspective

Part Number	D	S	Applicable Bearing (O.D.)	B	B ₁	H	Set Screw M×Length	b	C
Code									
Short Shoulder FBC01 FBC02 FBC06 FBC21 FBC22	3	5	673ZZ(6)-683ZZ(7)	8	11	10	M3×3	7	0.3
		6	693ZZ(8)-603ZZ(9)-623ZZ(10)			12			
		7	674ZZ(7)-684ZZ(9)			14			
		8	694ZZ(11)-604ZZ(12)-624ZZ(13)			15			
		9	675ZZ(7)			16			
		10	685ZZ(11)-695ZZ(13)-605ZZ(14)-625ZZ(16)			18			
	4	11	676ZZ(10)-686ZZ(13)	10	12.5	20	M4×3	8.5	0.5
		12	676ZZ(15)-606ZZ(17)-626ZZ(19)			22			
		13	678ZZ(12)-688ZZ(16)			25			
		14	698ZZ(19)-608ZZ(22)-628ZZ(24)			27			
		15	680ZZ(19)			32			
		16	690ZZ(22)-600ZZ(26)			35			
	5	17	6200ZZ(30)-6300ZZ(35)	12	15	42	M5×4	10	0.5
		18	6801ZZ(21)			45			
		19	6901ZZ(24)-6001ZZ(28)			50			
		20	6201ZZ(32)-6301ZZ(37)			55			
		21	6802ZZ(24)-6902ZZ(28)			60			
		22	6002ZZ(32)			65			
	6	23	6202ZZ(35)-6302ZZ(42)	15.5	19	70	M6×5	13	0.5
		24	6803ZZ(26)			75			
		25	6903ZZ(30)-6003ZZ(35)			80			
		26	6203ZZ(40)-6303ZZ(47)			85			
		27	6704ZZ(27)-6804ZZ(32)			90			
		28	6904ZZ(37)			95			
	7	29	6004ZZ(42)-6204ZZ(47)	21	21	100	M8×6	15	0.5
		30	6805ZZ(37)			105			
		31	6905ZZ(42)			110			
		32	6005ZZ(47)			115			
		33	6205ZZ(52)			120			
		34	6806ZZ(42)			125			
Long Shoulder FBC51 FBC56 FBC71 FBC72	8	35	6906ZZ(47)	—	—	130	M10×8	15	0.5
		36	6006ZZ(55)-6206ZZ(62)-6306ZZ(72)			135			
		37	6807ZZ(47)			140			
		38	6907ZZ(55)			145			
	9	39	6007ZZ(62)-6207ZZ(72)	—	—	150			
		40	6808ZZ(52)			155			
		41	6908ZZ(62)			160			
		42	6008ZZ(68)-6208ZZ(80)			165			

Short Shoulder

Part Number	D	S
Code		
FBC01	3	5
FBC02	3	6
FBC02—D3—S5		



Discount price
Per 1~10 11~
Price 100% Additional quotation



Delivery
10

Short/Long Shoulder ▶ Slit Type



Shaft Collars-For Bearing Fixing

Code	Type	Material		Surface Treatment	Accessories
		GB	Equiv.		
FBG01	Short Shoulder	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FBG02		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FBG06		LY11	A2017	Clear Anodize	Hex Socket Head Cap Screw 1 pc.
FBG11	Long Shoulder	45	S45C	Black Anodize	Hex Socket Head Cap Screw 1 pc.
FBG12		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FBG51		LY11	A2017	Clear Anodize	Hex Socket Head Cap Screw 1 pc.
FBG52	Slit Type	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FBG56		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FBG61		LY11	A2017	Clear Anodize	Hex Socket Head Cap Screw 1 pc.
FBG62	Slit Type	45	S45C	Black Anodize	Hex Socket Head Cap Screw 1 pc.
FBG61		0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FBG62		LY11	A2017	Clear Anodize	Hex Socket Head Cap Screw 1 pc.



Short Shoulder
FBG01/02/06/11/12

Long Shoulder
FBG51/52/56/61/62



The first perspective

Part Number		S	Applicable Bearing (O.D.)	B	B ₁	H	M	b	d	R	W	X	Y	Z	C
Code	D														
Short Shoulder	6	8	636ZZ(22)-686ZZ(13)	9	12	20	M3	8	3.5	3	1.0	6	4	6~6.5	0.3
		9	696ZZ(15)-606ZZ(17)-626ZZ(19)												
		12	636ZZ(22)												
	8	11	673ZZ(15)-688ZZ(16)			25						7		7~9	0.3
		12	698ZZ(19)-608ZZ(88)-628ZZ(24)												
		14	638ZZ(28)												
	10	12	6700ZZ(15)			30						9	5	10	0.3
		13	6800ZZ(19)												
		14	6900ZZ(22)-6000ZZ(26)												
	12	16	6200ZZ(30)-6300ZZ(35)	11.5	14		M4	10	4.5	3.75		10		10	0.3
		17	6702ZZ(21)												
		18	6201ZZ(32)-6301ZZ(37)												
Long Shoulder	15	17	6702ZZ(21)			34					1.5				0.5
		18	6802ZZ(24)-6902ZZ(28)												
		19	6002ZZ(32)												
	17	21	6203ZZ(35)-6302ZZ(42)	14	17		M5	12	5.5	4.5		11.5	6	12	0.5
		20	6803ZZ(26)												
		21	6903ZZ(30)-6003ZZ(35)												
	20	23	6203ZZ(40)-6303ZZ(47)			40						14	7	14	0.5
		24	6704ZZ(27)-6804ZZ(32)												
		27	6004ZZ(42)-6204ZZ(47)												
	25	28	6304ZZ(52)	14	17		M5	12	5.5	4.5		17		17	0.5
		29	6805ZZ(37)												
		31	6905ZZ(42)												
Slit Type	30	32	6005ZZ(47)	17.5	21	55	M6	15	6.6	6	2.0	20		18	0.5
		33	6205ZZ(52)												
		33	6305ZZ(62)												
		35	6806ZZ(42)												
Slit Type	38	35	6906ZZ(47)												0.5
		38	6006ZZ(55)-6206ZZ(62)-6306ZZ(72)												



Please order as shown

Part Number		S
Code	D	
FBG01	30	33
FBG02	30	35
FBG02—D30—S38		38



Discount price	
Per	1~10 11~
Price	100% Additional quotation



Delivery	
Per	10

Shaft Collars-For Bearing Fixing



Compact · Short/Long Shoulder
Slit Type

Code	Type			Material		Surface Treatment	Accessories
				GB	Equiv.		
FBH01	Slit Type	Compact	Short Shoulder	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FBH02				0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FBH06		Long Shoulder	Long Shoulder	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FBH51				0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)
FBH52	Slit Type	Compact	Short Shoulder	45	S45C	Black Oxide	Hex Socket Head Cap Screw 1 pc.
FBH56				0Cr18Ni9	SUS304	Electroless Nickel Plating	Hex Socket Head Cap Screw 1 pc. (Stainless Steel)



Short Shoulder
FBH01/02/06

Long Shoulder
FBH51/52/56



Shaft Collars
A3

Part Number		S	Applicable Bearing (O.D.)	B	B ₁	H	M	b	d	R	W	X	Y	Z	C
Code	D														
Short Shoulder FBH01 FBH02 FBH06	8	11	678ZZ(12)-688ZZ(16)	9		22						7		7	
		12	698ZZ(19)-608ZZ(22)-628ZZ(24)												
		13	6800ZZ(19)										4		0.3
	10	14	6900ZZ(22)-6000ZZ(26)									8			
		16	6200ZZ(30)-6300ZZ(35)												
		15	6801ZZ(21)			25								9	
	12	16	6901ZZ(24)-6001ZZ(28)		12							9			
		18	6201ZZ(32)-6301ZZ(37)				M3	8	3.5	3			3		
		18	6802ZZ(24)-6902ZZ(28)	9.5											
	15	19	6002ZZ(32)									11		11	
		21	6202ZZ(35)-6302ZZ(42)			30					1.5				
Long Shoulder FBH51 FBH52 FBH56	17	21	6903ZZ(30)-6003ZZ(42)									11.5	4	12	
		23	6203ZZ(40)-6303ZZ(47)												
		23	6704ZZ(27)-6804ZZ(32)												0.5
	20	24	6904ZZ(37)		13	36						13		13	
		27	6004ZZ(42)-6204ZZ(47)												
		28	6805ZZ(37)										5		
	25	29	6905ZZ(42)	11.5	15	42	M4	10	4.5	3.75		16.5		16.5	
		31	6005ZZ(47)												
		32	6205ZZ(52)												
	30	35	6906ZZ(47)												
		38	6006ZZ(55)-6206ZZ(62)-6306ZZ(72)	14	18	50	M5	12	5.5	4.5		20	6	20	



Please order as shown

Part Number	S
Code	D
FBH01	28
FBH02	29
FBH06	31

FBH02—D25—S29





Discount price
Per 1~10 11~
Price 100% Additional



Delivery
10

Code	Type	Main Body		Hinge		Spring Pins			Accessories(1 each)		Material
		Material		Surface Treatment	Material		Material	Hardness	Material		
		GB	Equiv.		GB	Equiv.			GB	Equiv.	
FBQ01	Hinged Type	45	S45C	Black Oxide	0Cr18Ni9	SUS304	3Cr13	SUS420J2	42~48HRC	35CrMo	SCM435
FBQ02				Electroless Nickel Plating						—	Stainless Steel
FBQ06			0Cr18Ni9	SUS304	—						



Part Number		B	H	M	d	R	W	X	Y	Accessories Hex Socket Head Cap Screw M - Length	Accessories Spring Pins
Code	D										
FBQ01 FBQ02 FBQ06	10	10	30	M4	5	3.75		9	5	M4-8	BLJ01-D3-L8
	12							10			
	15		35		6			12	6	M5-10	BLJ01-D3-L10
	16	12		M5		4.5	1.5				
	20		40					14	7	M5-12	
	25	15	50	M6	7	6		18	10	M6-16	BLJ01-D3-L14
	30		55					20			



Part Number	Code	D	B
FBQ01	10	10	
FBQ02	12		
FBQ06	15	12	

FBQ02 — D10



Discount price	Per	1~10	11~
Price	100%		Additional quotation




Delivery	10
----------	----

Code	Type	Material				Surface Treatment		Hardness	Accessories
		Main Body GB	Equiv.	Lever	Spring	Main Body	Lever	Lever	
FBQ21	Standard with Mount Hole	LY11	A2017	S45C	SWP-A	Clear Anodize	Hard Chrome Plating	45HRC~	Hex Socket Head Cap Screw 1 pc.
FBQ22						Black Anodize			
FBQ31						Clear Anodize			


ⓘ Tapped holes are not anodized.





Standard
FBQ21/22



with Mount Hole
FBQ31



Lever Operating Direction



The first perspective

Part Number		D	H	P	Hex Socket Head Cap Screw M - Depth
Code	d				
FBQ21 FBQ22 FBQ31	10	50	40	25	M4 Depth 8
	12	52	42	27	
	15	55	45	30	
	16	56	46	31	
	20	60	50	35	M5 Depth 10
	22	62	52	37	
	25	65	55	40	
	25.4	65.4	55.4	40.4	
	30	70	60	45	M6 Depth 12



Please order
as shown

Part Number	Code	d	D
FBQ21	10	50	
FBQ22	12	52	
FBQ31	15	55	

FBQ22—d10



Discount price

Per	1~10	11~
Price	100%	Additional quotation



Delivery

10